Author Index

ADAMS, L.M. *see* BAEDER, W.L.
ALM, G.V. *see* RÖNNBLOM, L.E.
ALONSO, J.-M. *see* DERAMOUDT, F.-X.
ANDERSSON, R. *see* GRUNEWALD, J.
ANTTILA, H.S.I., REITAMO, S., CESKA, M., HURME, M. Signal transduction pathways leading to the production of IL-8 by human monocytes are differentially regulated by dexamethasone, 509
AOKI, S. *see* SHIJUBO, N.
APPEL, S. *see* GALANDIUK, S.
APPELBERG, R. Interferon-gamma (IFN-γ) and macrophage inflammatory proteins (MIP)-1 and -2 are involved in the regulation of the T cell-dependent chronic peritoneal neutrophilia of mice infected with mycobacteria, 269
APPELBERG, R. T cell regulation of the chronic peritoneal neutrophilia during mycobacterial infections, 120
ARNAIZ-VILLENA, A. *see* PÉREZ-BLAS, M.
ASAKAWA, M. *see* SHIJUBO, N.
AUKRUST, P., FRØLAND, S.S., MÜLLER, F. Raised serum neopterin levels in patients with primary hypogammaglobulinaemia; correlation to other immunological parameters and to clinical and histological features, 211
AVDEEVA, L.A. *see* GABRILOVICH, D.I.

BACHOVCHIN, W.W. *see* KUBOTA, T.
BAEDER, W.L., SREDY, J., SEHGAL, S.N., CHANG, J.Y., ADAMS, L.M. Rapamycin prevents the onset of insulin-dependent diabetes mellitus (IDDM) in NOD mice, 174
BAGNASCO, M. *see* ZEROMSKI, J.
BANLA, M. *see* SOBOSLAY, P.T.
BANSAL, A., ROBERTS, T., HAY, E.M., KAY, R., PUMPHREY, R.S.H., WILSON, P.B. Soluble CD23 levels are elevated in the serum of patients with primary Sjögren's syndrome and systemic lupus erythematosus, 452
BAR, I. *see* LAHAT, N.
BARAK, V. *see* KALINKOVICH, A.
BARAKAT, S., MEYER, O., TORTEROTOT, F., YOUINOU, P., BRIAND, J.P., KAHN, M.F., MULLER, S. IgG antibodies from patients with primary Sjögren's syndrome and systemic lupus erythematosus recognize different epitopes in 60-kD SSA/Ro protein, 38
BASCHIERI, L. *see* PERRICONE, R.
BECKER, M. *see* FALK, R.J.
BENDER, A., KABELITZ, D. Preferential activation of peripheral blood Vγ 9^+ γ/δ T cells by group A, B and C but not group D or F streptococci, 301
BENTWICH, Z. *see* GRYLLIS, C.
BENTWICH, Z. *see* KALINKOVICH, A.
BERGNER, D. *see* HARRER, T.
BERNSTEIN, R.M. *see* HAJEER, A.H.
BERZINS, K. *see* ERUNKULU, O.A.
BINZ, H. *see* HMAMA, Z.
BIRD, P. *see* FALCONER, A.E.
BLASCO, R., RUIZ-GUTIERREZ, V. Effect of fatty acid anilides on immune responses of Swiss mice, 131
BOLOGNESI, A., TAZZARI, P.L., TASSI, C., GROMO, G., GOBBI, M., STIRPE, F. A comparison of anti-lymphocyte immunotoxins containing different ribosome-inactivating proteins and antibodies, 341
BORREBAECK, C.A.K. *see* OHLIN, M.
BOTHAMLEY, G. *see* ELSAGHIER, A.
BOTTAZZO, G.F. *see* MIYAZAKI, A.
BOULOT, P. *see* VENDRELL, J.P.
BRENNER, B.G. *see* GRYLLIS, C.
BRESNIHAN, B. *see* HASSAN, J.
BRIAND, J.P. *see* BARAKAT, S.
BRITTON, W.J. *see* ROCHE, P.W.
BROLIDEN, P.-A. *see* OHLIN, M.
BROOKES, S.M. *see* SHATTLES, W.G.
BROWN, C.M.S., LONGHURST, C., HAYNES, G., PLATER ZYBERK, C., MALCOLM, A., MAINI, R.N. Immunoglobulin heavy chain variable region gene utilization by B cell hybridomas derived from rheumatoid synovial tissue, 230
BUNCH, C. *see* GRIFFITHS, H.
BUNDICK, R.V., EADY, R.P. The effects of CP 17193, an immunosuppressive pyrazaloquinoline, on the development of spontaneous lupus disease in NZBW F1 hybrid mice, 179
BURDICK, G. *see* EMLEN, W.
BURSTEIN, R. *see* KALINKOVICH, A.

CALDER, V.L., LIGHTMAN, S.L. Experimental autoimmune uveoretinitis (EAU) *versus* experimental allergic encephalomyelitis (EAE): a comparison of T cell-mediated mechanisms, 165
CALVERT, J.E. *see* FALCONER, A.E.
CAMBIASO, C.L. *see* LUCAS, G.P.
CARL, V. *see* EMLEN, W.
CARMEL, R. Reassessment of the relative prevalences of antibodies to gastric parietal cell and to intrinsic factor in patients with pernicious anaemia: influence of patient age and race, 74
CESKA, M. *see* ANTTILA, H.S.I.
CHANG, J.Y. *see* BAEDER, W.L.
CHAPEL, H. *see* GRIFFITHS, H.
CHENG, S.H. *see* DAS, S.
CLARK, D.A. *see* SHATTLES, W.G.
COHEN, J.H.M. *see* CORNILLET, P.
CONGE, A.M. *see* VENDRELL, J.P.
COOPER, W.O., FAVA, R.A., GATES, C.A., CREMER, M.A., TOWNES, A.S. Acceleration of onset of collagen-induced arthritis by intra-articular injection of tumour necrosis factor or transforming growth factor-beta, 244
CORNILLET, P., GREDY, P., PENNAFORTE, J.L., MEYER, O., KAZATCHKINE, M.D., COHEN, J.H.M. Increased frequency of the long (S) allotype of CR1 (the C3b/C4b receptor, CD35) in patients with systemic lupus erythematosus, 22
CREMER, M.A. *see* COOPER, W.O.
CZERLINKSI, S. *see* REIPERT, B.

DAHA, M.R. *see* HALMA, C.
DARCY, F. *see* VENDRELL, J.P.
DAS, S., CHENG, S.H., LOWRIE, D.B., WALKER, K.B., MITCHISON, D.A., VALLISHAYEE, R.S., NARAYANAN, P.R. The pattern of mycobacterial antigen recognition in sera from Mantoux-negative individuals is essentially unaffected by bacille Calmette-Guérin (BCG) vaccination in either South India or London, 402
DE CAROLIS, C. *see* PERRICONE, R.
DE JONG, B.A.W. *see* VERHEIJEN, R.
DECOSTER, A. *see* VENDRELL, J.P.
DENMAN, A.M. *see* PELTON B.K.
DERAMOUDT, F.-X., GILARD, C., LEPINE, N., ALONSO, J.-M., ROMET-LEMONNE, J.-L. Bispecific anti-human red blood Rhesus-D antigen × anti FcγRI targeted antibody-dependent cell-mediated cytotoxicity and phagocytosis by mononuclear leucocytes, 310
DERBYSHIRE, E.J., STAHEL, R.A., WAWRZYNCZAK, E.J. Potentiation of a weakly active ricin A chain immunotoxin recognizing the neural cell adhesion molecule, 336
DERSIMONIAN, H. *see* GRUNEWALD, J.
DE SAUSSURE, P. *see* PECHÈRE-BERTSCHI, A.
DÖCKE, W.D. *see* REIPERT, B.
DRÄGER, R. *see* RUMP, J.A.
DREWECK, C.M. *see* SOBOSLAY, P.T.
DWORACKI, G. *see* ZEROMSKI, J.

EADY, R.P. *see* BUNDICK, R.V.
EADY, R.P. *see* NORRIS, A.A.
ELSAGHIER, A., PRANTERA, C., BOTHAMLEY, G., WILKINS, E., JINDAL, S., IVANYI, J. Disease association of antibodies to human and mycobacterial hsp70 and hsp60 stress proteins, 305
EL ROUBY, S., SHI, Y., REEM, G.H. Comparison of the properties of the CsA analogs monoacetyl CyC (*o*-acetyl-threonine^2 cyclosporin) and

methyl-alanyl CsA (N-methyl-L-alanyl^6 cyclosporin); monoacetyl cyclosporin is immunosuppressive without binding to cyclophilin, 136
ELSON, C.J. *see* THOMPSON, S.J.
EMLEN, W., CARL, V., BURDICK, G. Mechanism of transfer of immune complexes from red blood cell CR1 to monocytes, 8
ENGELMANN, H. *see* KALINKOVICH, A.
ERUNKULU, O.A., HILL, A.V.S., KWIATKOWSKI, D.P., TODD, J.E., IQBAL, J., BERZINS, K., RILEY, E.M., GREENWOOD, B.M. Severe malaria in Gambian children is not due to lack of previous exposure to malaria, 296

FALCONER, A.E., FRIEDMANN, P.S., BIRD, P., CALVERT, J.E. Abnormal immunoglobulin G subclass production in response to keyhole limpet haemocyanin in atopic patients, 495
FALK, R.J., BECKER, M., TERRELL, R., JENNETTE, J.C. Anti-myeloperoxidase autoantibodies react with native but not denatured myeloperoxidase, 274
FAVA, R.A. *see* COOPER, W.O.
FEIGHERY, C. *see* HASSAN, J.
FIETZE, E. *see* REIPERT, B.
FLEISCHER, B. *see* HERMANN, E.
FLENTKE, G.R. *see* KUBOTA, T.
FONTANA, L. *see* PERRICONE, R.
FOSTER, P.N., TREJDOSIEWICZ, L.K. Impaired proliferative responses of peripheral blood B cells from splenectomized subjects to phorbol ester and ionophore, 369
FREEMAN, M.A. *see* TANDON, N.
FRIEDMANN, P.S. *see* FALCONER, A.E.
FRØLAND, S.S. *see* AUKRUST, P.
FUJITA, T. *see* OHI, H.

GABRILOVICH, D.I., SHEPELEVA, G.K., SEREBROVSKAYA, L.V., AVDEEVA, L.A., SUVOROVA, Z.K., ROSLY, I.M., OGANEZOV, V.K., SAIDOV, M.Z., PANYUTICH, A.V., POKROVSKY, V.V. Mononuclear cells from HIV-infected patients produce factors which enhance functional activity of polymorphonuclear neutrophils from healthy subjects, 362
GALANDIUK, S., APPEL, S., PIETSCH, J., OLDFATHER, J., POLK, H.C. Regional cellular responses to intraperitoneal infection, 390
GALLA, J.H. *see* JACKSON, S.
GATES, C.A. *see* COOPER, W.O.
GILARD, C. *see* DERAMOUDT, F.X.
GILBERT, D. *see* LAMOUR, A.
GIOSTRA, E. *see* PECHÈRE-BERTSCHI, A.
GLOBERSON, A. *see* SEGAL, R.
GOBBI, M. *see* BOLOGNESI, A.
GÖRGEN, H. *see* SOBOSLAY, P.T.
GORNITSKY, M. *see* GRYLLIS, C.
GOSSELIN, D., TURCOTTE, R., LEMIEUX, S. Cyclophosphamide treatment antagonizes the *in vitro* development of *Mycobacterium lepraemurium*-induced suppressor cell precursors, 185
GOTO, Y. *see* OGAWA, N.
GRANELLI-PIPERNO, A. *see* MING, J.E.
GREDY, P. *see* CORNILLET, P.
GREENWOOD, B.M. *see* ERUNKULU, O.A.
GRIFFITHS, H., LEA, J., BUNCH, C., LEE, M., CHAPEL, H. Predictors of infection in chronic lymphocytic leukaemia (CLL), 374
GROMO, G. *see* BOLOGNESI, A.
GRUNEWALD, J., JEDDI-TEHRANI, M., DERSIMONIAN, H., ANDERSSON, R., WIGZELL, H. A persistent T cell expansion in the peripheral blood of a normal adult male: a new clinical entity, 279
GRUNOW, R. *see* OHLIN, M.
GRYLLIS, C., WAINBERG, M.A., BENTWICH, Z., GORNITSKY, M., BRENNER, B.G. Increased LAK activity against HIV-infected cell lines in HIV-1$^+$ individuals, 356
GUILLET, J.-G., LENGAGNE, R., MAGNUSSON, Y., TATE, K., STROSBERG, A.D., HOEBEKE, J. Induction of a pharmacologically active clonotypic B cell response directed to an immunogenic region of the human β_2-adrenergic receptor, 461
GUSTAFSON, J.E. *see* KELLER, R.

HAJEER, A.H., WORTHINGTON, J., MORGAN, K., BERNSTEIN, R.M. Monoclonal antibody epitopes of mycobacterial 65-kD heat-shock protein defined by epitope scanning, 115
HALMA, C., DAHA, M.R., VAN ES, L.A. *In vivo* clearance by the mononuclear phagocyte system in humans: an overview of methods and their interpretation, 1
HARA, M. *see* HIDAKA, T.
HARA, T., KURIYAMA, S., KIYOHARA, H., NAGASE, Y., MATSUMOTO, M., SEYA, T. Soluble forms of membrane cofactor protein (CD46, MCP) are present in plasma, tears, and seminal fluid in normal subjects, 490
HARIGAI, M. *see* HIDAKA, T.
HARPAZ, N. *see* KALINKOVICH, A.
HARRER, T., WOLF, B., NÄGER, W., SCHWARZ, W., BERGNER, D., KALDEN, J.R. *In vitro* activation of peripheral mononuclear cells by zinc in HIV-infected patients and healthy controls, 285
HARTSKEERL, R.A. *see* VERBON, A.
HASSAN, J., FEIGHERY, C., BRESNIHAN, B., WHELAN, A. Prevalence of anti-Fab antibodies in patients with autoimmune and infectious diseases, 423
HAY, E.M. *see* BANSAL, A.
HAYNES, G. *see* BROWN, C.M.S.
HAZLEWOOD, M., KUMARARATNE, D.S. The spleen? Who needs it anyway? 327
HEMACHUDHA, T. *see* PANPANICH, T.
HENDERSON, E. *see* RODRIGUEZ, R.M.
HENDRICKS, M.L. *see* WÜRZNER, R.
HERMANN, E., LOHSE, A.W., MAYET, W.J., VAN DER, ZEE, R., VAN EDEN, W., PROBST, P., PORALLA, T., MEYER ZUM BÜSCHENFELDE, K.-H. FLEISCHER, B. Stimulation of synovial fluid mononuclear cells with the human 65-kD heat shock protein or with live enterobacteria leads to preferential expansion of TCR-$\gamma\delta^+$ lymphocytes, 427
HETZER, R. *see* REIPERT, B.
HEUSCHKEL, C. *see* SOBOSLAY, P.T.
HIDAKA, T., KITANI, A., HARA, M., HARIGAI, M., SUZUKI, K., KAWAGUCHI, Y., ISHIZUKA, T., KAWAGOE, M., NAKAMURA, H. IL-4 down-regulates the surface expression of CD5 on B cells and inhibits spontaneous immunoglobulin and IgM-rheumatoid factor production in patients with rheumatoid arthritis, 223
HILL, A.V.S. *see* ERUNKULU, O.A.
HINKULA, J. *see* OHLIN, M.
HINODA, Y. *see* SHIJUBO, N.
HIRASAWA, M. *see* SHIJUBO, N.
HITSUMOTO, Y. *see* THOMPSON, S.J.
HMAMA, Z., LINA, G., VINCENT, C., WIJDENES, J., NORMIER, G., BINZ, H., REVILLARD, J.P. Monocyte cytokine secretion induced by chemically-defined derivatives of *Klebsiella pneumoniae*, 104
HOEBEKE, J. *see* GUILLET, J.-G.
HOFFMAN, W.H. *see* SOBOSLAY, P.T.
HOLMDAHL, R. *see* JANSSON, L.
HUGUET, M.F. *see* VENDRELL, J.P.
HUMPHRIES, M.J. *see* RODRIGUEZ, R.M.
HURME, M. *see* ANTTILA, H.S.I.
HYLTON, W. *see* PELTON, B.K.

IKÄHEIMO, I. *see* RUUSKA, P.E.
IMAI, K. *see* SHIJUBO, N.
IQBAL, J. *see* ERUNKULU, O.A.
ISHIZUKA, T. *see* HIDAKA, T.
ITOH, M. *see* OGAWA, N.
ITOH, J. *see* KANNO H.
IVANYI, J. *see* ELSAGHIER, A.

JACKSON, D.M. *see* NORRIS, A.A.
JACKSON, S., MOLDOVEANU, Z., KIRK, K.A., JULIAN, B.A., PATTERSON, T.F., MULLINS, A.L., JILLING, T., MESTECKY, J., GALLA, J.H. IgA-containing immune complexes after challenge with food antigens in patients with IgA nephropathy, 315
JAHREIS, A. *see* RUMP, J.A.
JAMES, S.R. *see* NAYLOR, J.R.
JANSON TIENSUU E. *see* RÖNNBLOM, L.E.
JANSSON, L., HOLMDAHL, R. Oestrogen-induced suppression of collagen arthritis; 17β-oestradiol is therapeutically active in normal and castrated F1 hybrid mice of both sexes, 446
JEDDI-TEHRANI, M. *see* GRUNEWALD, J.
JEFFERIS, R. Standardization: who wants it?, 500
JENNETTE, J.C. *see* FALK, R.J.
JILLING, T. *see* JACKSON, S.

JINDAL, S. *see* ELSAGHIER, A.
JOUEN-BEADES, F. *see* LAMOUR, A.
JULIAN, B.A. *see* JACKSON, S.

KÄÄR, M.-L. *see* RUUSKA, P.E.
KABELITZ, D. *see* BENDER, A.
KAHN, M.F. *see* BARAKAT, S.
KALDEN, J.R. *see* HARRER, T.
KALICKMAN, I. *see* KALINKOVICH, A.
KALINKOVICH, A., ENGELMANN, H., HARPAZ, N., BURSTEIN, R., BARAK, V., KALICKMAN, I., WALLACH, D., BENTWICH, Z. Elevated serum levels of soluble tumour necrosis factor receptors (sTNF-R) in patients with HIV infection, 351
KANNO, H., NOSE, M., ITOH, J., TANIGUCHI, Y., KYOGOKU, M. Spontaneous development of pancreatitis in the MRL/Mp strain of mice in autoimmune mechanism, 68
KAWAGOE, M. *see* HIDAKA, T.
KAWAGUCHI, Y. *see* HIDAKA, T.
KAY, R. *see* BANSAL, A.
KAZATCHKINE, M.D. *see* CORNILLET, P.
KEEHNEN, R.M.J. *see* SCHEEREN, R.A.
KEIST, R. *see* KELLER, R.
KELLER, R., GUSTAFSON, J.E., KEIST, R. The macrophage response to bacteria. Modulation of macrophage functional activity by peptidoglycan from *Moraxella (Branhamella) catarrhalis*, 384
KINGSLEY, G.H. *see* RODRIGUEZ, R.M.
KIRK, K.A. *see* JACKSON, S.
KITANI, A. *see* HIDAKA, T.
KIYOHARA, H. *see* HARA, T.
KOBA, H. *see* SHIJUBO, N.
KOLK, A.H.J. *see* VERBON, A.
KONTANI, K., TAGUCHI, O., TAKAHASHI, T. Involvement of the H^+/K^+-ATPase α subunit as a major antigenic protein in autoimmune gastritis induced by neonatal thymectomy in mice, 63
KUBOTA, T., FLENTKE, G.R., BACHOVCHIN, W.W., STOLLAR, B.D. Involvement of depeptidyl peptidase IV in an *in vivo* immune response, 192
KUMARARATNE, D.S. *see* HAZLEWOOD, M.
KURIYAMA, S. *see* HARA, T.
KURNICK, J.T. *see* PANDOLFI, F.
KYOGOKU, M. *see* KANNO H.
KWIATKOWSKI, D.P. *see* ERUNKULU, O.A.

LACHMANN, P.J. *see* WÜRZNER, R.
LAHAT, N., ZLOTNICK, A.Y., SHTILLER, R., BAR, I., MERIN, G. Serum levels of IL-1, IL-6 and tumour necrosis factors in patients undergoing coronary artery bypass grafts or cholecystectomy, 255
LAMOUR, A., JOUEN-BEADES, F., LEES, O., GILBERT, D., LE LOET, X, TRON F. Analysis of T cell receptors in rheumatoid arthritis: the increased expression of HLA-DR antigen on circulating $\gamma\delta^+$ T cells is correlated with disease activity, 217
LAWRENCE, R.H., SORRELL, T.C. Decreased polymorphonuclear leucocyte chemotactic response to leukotriene B_4 in cystic fibrosis, 321
LEA, J. *see* GRIFFITHS, H.
LE LOET, X. *see* LAMOUR, A.
LEE, M. *see* GRIFFITHS, H.
LEES, O. *see* LAMOUR A.
LEMIEUX, S. *see* GOSSELIN, D.
LENGAGNE, R. *see* GUILLET, J.-G.
LEPINE, N. *see* DERAMOUDT, F.X.
LIGHTMAN, S.L. *see* CALDER, V.L.
LINA, G. *see* HMAMA, Z.
LOHSE, A.W. *see* HERMANN, E.
LONGHURST, C. *see* BROWN, C.M.S.
LOWRIE, D.B. *see* DAS, S.
LUCAS, G.P., CAMBIASO, C.L., VAERMAN, J.P. Characterization of an anti-idiotypic MoAb bearing an internal image of the receptor-binding epitope of cholera toxin, 378
LÜDER, C.G.K. *see* SOBOSLAY, P.T.
LUKOWSKY, A. *see* REIPERT, B.

MAGNUSSON, Y. *see* GUILLET, J.-G.
MAINI, R.N. *see* BROWN, C.M.S.
MAINI, R.N. *see* SHATTLES, W.G.
MALCOLM, A. *see* BROWN, C.M.S.
MANATSATHIT, S. *see* PANPANICH, T.
MATSUMOTO, M. *see* HARA, T.
MAYET, W.J. *see* HERMANN, E.
MEIJER, C.J.L.M. *see* SCHEEREN, R.A.
MELCHERS, I. *see* RUMP, J.A.
MERIN, G. *see* LAHAT, N.
MESTECKY, J. *see* JACKSON, S.
MEYER, O. *see* BARAKAT, S.
MEYER, O. *see* CORNILLET, P.
MEYER ZUM BÜSCHENFELDE, K.-H. *see* HERMANN E.
MIELI-VERGANI, G. *see* WEN, L.
MING, J.E., STEINMAN, R.M., GRANELLI-PIPERNO, A. IL-6 enhances the generation of cytolytic T lymphocytes in the allogeneic mixed leucocyte reaction, 148
MIRAKIAN, R. *see* MIYAZAKI, A.
MITCHISON, D.A. *see* DAS, S.
MIYAZAKI, A., MIRAKIAN, R., BOTTAZZO, G.F. Adhesion molecule expression in Graves' thyroid glands,: potential relevance of granule membrane protein (GMP-140) and intercellular adhesion molecule-1 (ICAM-1) in the homing and antigen presentation processes, 52
MOLDOVEANU, Z. *see* JACKSON, S.
MORENO, C. *see* VERBON, A.
MORGAN, K. *see* HAJEER, A.H.
MOSCICKI, R.A. *see* PANDOLFI, F.
MOZES, E. *see* SEGAL, R.
MÜLLER, F. *see* AUKRUST, P.
MULLER, S. *see* BARAKAT, S.
MULLINS, A.L. *see* JACKSON, S.

NAGASE, Y. *see* HARA, T.
NÄGER, W. *see* HARRER, T.
NAKAMURA, H. *see* HIDAKA, T.
NARAYANAN, P.R. *see* DAS, S.
NAYLOR, J.R., JAMES, S.R., TREJDOSIEWICZ, L.K. Intracellular free Ca^{2+} fluxes and responses to phorbol ester in T lymphocytes from healthy elderly subjects, 158
NEUPANE, K.D. *see* ROCHE, P.W.
NINOMIYA, C., SPIEGELBERG, H.L. IL-4 and transforming growth factor-β suppress human immunoglobulin secretion *in vitro* by surface IgD^- B cells, 261
NORMIER, G. *see* HMAMA, Z.
NORRIS, A.A., JACKSON, D.M., EADY, R.P. Protective effects of cyclophosphamide, cyclosporin A and FK506 against antigen-induced lung eosinophilia in guinea-pigs, 347
NOSE, M. *see* KANNO, H.
NYE, K.E., RILEY, G.A., PINCHING, A.J. The defect seen in the phosphatidylinositol hydrolysis pathway in HIV-infected lymphocytes and lymphoblastoid cells is due to inhibition of the inositol 1,4,5-triphosphate 1,3,4,5-tetrakisphosphate 5-phosphomonoesterase, 89

ÖBERG, K.E. *see* RÖNNBLOM, L.E.
OGANEZOV, V.K. *see* GABRILOVICH, D.I.
OGAWA, N., ITOH, M., GOTO, Y. Abnormal production of B cell growth factor in patients with systemic lupus erythematosus, 26
OHI, H., WATANABE, S., FUJITA, T., YASUGI, T. Significance of C3 nephritic factor (C3NeF) in non-hypocomplementaemic serum with membranoproliferative glomerulonephritis (MPGN), 479
OHLIN, M., HINKULA, J., BROLIDEN, P.-A., GRUNOW, R., BORREBAECK, C.A.K., WAHREN, B. Human MoAbs produced from normal, HIV-1-negative donors and specific for glycoprotein gp120 of the HIV-1 envelope, 290
OLDFATHER, J. *see* GALANDIUK, S.
OOSTENDORP, R.A.J. *see* SCHEEREN, R.A.
ORREN, A. *see* WÜRZNER, R.

PANAYI, G.S. *see* RODRIGUEZ, R.M.
PANDOLFI, F., TRENTIN, L., SAN MARTIN, J.E., WONG, J.T., KURNICK, J.T., MOSCICKI, R.A. T cell heterogeneity in patients with common variable immunodeficiency as assessed by abnormalities of T cell subpopulations and T cell receptor gene analysis, 198
PANPANICH, T., HEMACHUDHA, T., PIYASIRISILP, S., MANATSATHIT, S.,

WILDE, H., PHANUPHAK, P. Cells with natural killer activity in human rabies, 414
PANYUTICH, A.V. *see* GABRILOVICH, D.I.
PAOLIERI, F. *see* ZEROMSKI, J.
PASETTO, N. *see* PERRICONE, R.
PATTERSON, T.F. *see* JACKSON, S.
PEAKMAN, M. *see* WEN, L.
PECHÈRE-BERTSCHI, A., PERRIN, L., DE SAUSSURE, P., WIDMANN, J.J., GIOSTRA, E., SCHIFFERLI, J.A. Hepatitis C: a possible etiology for cryoglobulinaemia type II, 419
PELTON, B.K., HYLTON, W., DENMAN, A.M. Activation of IL-6 production by UV irradiation of blood mononuclear cells from patients with systemic lupus erythematosus, 251
PENNAFORTE, J.L. *see* CORNILLET, P.
PERERS, A. *see* RÖNNBLOM, L.E.
PÉREZ-BLAS, M., REGUEIRO, J.R., RUIZ-CONTRERAS, J., ARNAIZ-VILLENA, A. T lymphocyte anergy during acute infectious mononucleosis is restricted to the clonotypic receptor activation pathway, 83
PERRICONE, R., PASETTO, N., DE CAROLIS, C., VAQUERO, E., PICCIONE, E., BASCHIERI, L., FONTANA, L. Functionally active complement is present in human ovarian follicular fluid and can be activated by seminal plasma, 154
PERRIN, L. *see* PECHÈRE-BERTSCHI, A.
PETER, H.H. *see* RUMP, J.A.
PHANUPHAK, P. *see* PANPANICH, T.
PICCIONE, E. *see* PERRICONE, R.
PIETSCH, J. *see* GALANDIUK, S.
PINCHING, A.J. *see* NYE, K.E.
PITZALIS, C. *see* RODRIGUEZ, R.M.
PIYASIRISILP, S. *see* PANPANICH, T.
PLATER-ZYBERK, C. *see* BROWN, C.M.S.
POKROVSKY, V.V. *see* GABRILOVICH, D.I.
POLK, H.C. *see* GALANDIUK, S.
PORALLA, T. *see* HERMANN, E.
POTTER, P.C. *see* WÜRZNER, R.
PRANTERA, C. *see* ELSAGHIER, A.
PRATLONG, F. *see* VENDRELL, J.P.
PROBST, P. *see* HERMANN, E.
PUMPHREY, R.S.H. *see* BANSAL, A.

RANCE, N. *see* WÜRZNER, R.
REEM, G.H. *see* EL ROUBY
REGUEIRO, J.R. *see* PÉREZ-BLAS, M.
REINKE, P. *see* REIPERT, B.
REIPERT, B., SCHEUCH, CH., LUKOWSKY, A., REINKE, P., FIETZE, E., DÖCKE, W.D., CZERLINKSI, S., HETZER, R., VOLK, H.D. $CD3^+CD57^+$ lymphocytes are not likely to be involved in antigen-specific rejection processes in long-term allograft recipients, 143
REITAMO, S. *see* ANTTILA, H.S.I.
REVILLARD, J.P. *see* HMAMA, Z.
RILEY, E.M. *see* ERUNKULU, O.A.
RILEY, G.A. *see* NYE, K.E.
ROBERTS, T. *see* BANSAL, A.
ROCHE, P.W., NEUPANE, K.D., BRITTON, W.J. Cellular immune response to the cell walls of *Mycobacterium leprae* in leprosy patients and healthy subjects exposed to leprosy, 110
RODRIGUEZ, R.M., PITZALIS, C., KINGSLEY, G.H., HENDERSON, E., HUMPHRIES, M.J., PANAYI, G.S. T lymphocyte adhesion to fibronectin (FN): a possible mechanism for T cell accumulation in the rheumatoid joint, 439
ROMET-LEMONNE, J.L. *see* DERAMOUDT, F.X.
RÖNNBLOM, L.E., JANSON TIENSUU, E., PERERS, A., ÖBERG, K.E., ALM, G.V. Characterization of anti-interferon-α antibodies appearing during recombinant interferon-α2a treatment, 330
ROOK, G.A.W. *see* THOMPSON, S.J.
ROSLY, I.M. *see* GABRILOVICH, D.I.
RUIZ-CONTRERAS, J. *see* PÉREZ-BLAS, M.
RUIZ-GUTIERREZ, V. *see* BLASCO, R.
RUMP, J.A., JAHREIS, A., SCHLESIER, M., DRÄGER, R., MELCHERS, I., PETER, H.H. Possible role of IL-2 deficiency for hypogammaglobulinaemia in patients with common variable immunodeficiency, 204
RUSCHEN, S., STELLBERG, W., WARNATZ, H. Kinetics of cytokine secretion by mononuclear cells of the blood from rheumatoid arthritis patients are different from those of healthy controls, 32
RUUSKA, P.E., IKÄHEIMO, I., SILVENNOINEN-KASSINEN, S., KÄÄR, M.-L., TIILIKAINEN, A. Normal C3b receptor (CR1) genomic polymorphism in patients with insulin-dependent diabetes mellitus (IDDM): is the low erythrocyte CR1 expression an acquired phenomenon?, 18

SAIDOV, M.Z. *see* GABRILOVICH, D.I.
SAN MARTIN, J.E. *see* PANDOLFI, F.
SCHEEREN, R.A., OOSTENDORP, R.A.J., VAN DER BAAN, S., KEEHNEN, R.M.J., SCHEPER, R.J., MEIJER, C.J.L.M. Distribution of retroviral p15E-related proteins in neoplastic and non-neoplastic human tissues, and their role in the regulation of the immune response, 94
SCHEPER, R.J. *see* SCHEEREN, R.A.
SCHEUCH, CH. *see* REIPERT, B.
SCHIFFERLI, J.A. *see* PECHÈRE-BERTSCHI, A.
SCHLESIER, M. *see* RUMP, J.A.
SCHULZ-KEY, H. *see* SOBOSLAY, P.T.
SCHWARZ, W. *see* HARRER, T.
SEGAL, R., GLOBERSON, A., ZINGER, H., MOZES, E. Induction of experimental systemic lupus erythematosus (SLE) in mice with severe combined immunodeficiency (SCID), 239
SEGONDY, M. *see* VENDRELL, J.P.
SEHGAL, S.N. *see* BAEDER, W.L.
SEREBROVSKAYA, L.V. *see* GABRILOVICH, D.I.
SERRE, A. *see* VENDRELL, J.P.
SEYA, T. *see* HARA, T.
SHATTLES, W.G., BROOKES, S.M., VENABLES, P.J.W., CLARK, D.A., MAINI, R.N. Expression of antigen reactive with a monoclonal antibody to HTLV-1 P19 in salivary glands in Sjögren's syndrome, 46
SHEPELEVA, G.K. *see* GABRILOVICH, D.I.
SHERON, N., WILLIAMS, R. IL-8 as a circulating cytokine: induction by recombinant tumour necrosis factor-alpha, 100
SHI, Y. *see* EL ROUBY
SHIJUBO, N., IMAI, K., AOKI, S., HIRASAWA, M., SUGAWARA, H., KOBA, H., TSUJISAKI, M., SUGIYAMA, T., HINODA, Y., YACHI, A., ASAKAWA, M., SUZUKI, A. Circulating intercellular adhesion molecule-1 (ICAM-1) antigen in sera of patients with idiopathic pulmonary fibrosis, 58
SHTILLER, R. *see* LAHAT, N.
SILVENNOINEN-KASSINEN, S. *see* RUUSKA, P.E.
SOBOSLAY, P.T., DREWECK, C.M., HOFFMAN, W.H., LÜDER, C.G.K., HEUSCHKEL, C., GÖRGEN, H., BANLA, M., SCHULZ-KEY, H. Ivermectin-facilitated immunity in onchocerciasis. Reversal of lymphocytopenia, cellular anergy and deficient cytokine production after single treatment, 407
SODHI, A., SURESH, A. Production of reactive nitrogen intermediates by bone marrow-derived macrophages on treatment with cisplatin *in vitro*, 502
SORRELL, T.C. *see* LAWRENCE, R.H.
SPIEGELBERG, H.L. *see* NINOMIYA, C.
SREDY, J. *see* BAEDER, W.L.
STAHEL, R.A. *see* DERBYSHIRE, E.J.
STEINMAN, R.M. *see* MING, J.E.
STELLBERG, W. *see* RUSCHEN, S.
STIRPE, F. *see* BOLOGNESI, A.
STOLLAR, B.D. *see* KUBOTA, T.
STROSBERG, A.D. *see* GUILLET, J.-G.
SUGAWARA, H. *see* SHIJUBO, N.
SUGIYAMA, T. *see* SHIJUBO, N.
SURESH, A. *see* SODHI, A.
SUVOROVA, Z.K. *see* GABRILOVICH, D.I.
SUZUKI, A. *see* SHIJUBO, N.
SUZUKI, K. *see* HIDAKA, T.

TAGUCHI, O. *see* KONTANI, K.
TANIGUCHI, Y. *see* KANNO, H.
TAKAHASHI, T. *see* KONTANI, K.
TANDON, N., FREEMAN, M.A., WEETMAN, A.P. T cell responses to synthetic TSH receptor peptides in Graves' disease, 468
TASSI, C. *see* BOLOGNESI, A.
TATE, K. *see* GUILLET, J.-G.
TAZZARI, P.L. *see* BOLOGNESI, A.
TERRELL, R. *see* FALK, R.J.
THOMPSON, S.J., HITSUMOTO, Y., ZHANG, Y.W., ROOK, G.A.W., ELSON, C.J. Agalactosyl IgG in pristane-induced arthritis. Pregnancy affects

the incidence and severity of arthritis and the glycosylation status of IgG, 434
THOMSON, A.W. The spectrum of action of new immunosuppressive drugs, 170
TIILIKAINEN, A. *see* RUUSKA, P.E.
TODD, J.E. *see* ERUNKULU, O.A.
TORTEROTOT, F. *see* BARAKAT, S.
TOWNES, A.S. *see* COOPER, W.O.
TREJDOSIEWICZ, L.K. *see* FOSTER, P.N.
TREJDOSIEWICZ, L.K. *see* NAYLOR, J.R.
TRENTIN, L. *see* PANDOLFI, F.
TRON, F. *see* LAMOUR A.
TSUJISAKI, M. *see* SHIJUBO, N.
TURCOTTE, R. *see* GOSSELIN, D.

VAERMAN, J.P. *see* LUCAS, G.P.
VALLISHAYEE, R.S. *see* DAS, S.
VAN ES *see* HALMA C.
VAN DER BAAN, S. *see* SCHEEREN, R.A.
VAN DER ZEE R. *see* HERMANN E
VAN EDEN, W. *see* HERMANN, E.
VAN VENROOIJ, W.J. *see* VERHEIJEN, R.
VAQUERO, E. *see* PERRICONE, R.
VENABLES, P.J.W. *see* SHATTLES, W.G.
VENDRELL, J.P., PRATLONG, F., DECOSTER, A., BOULOT, P., CONGE, A.M., DARCY, F., SEGONDY, M., HUGUET, M.F., SERRE, A. Secretion of *Toxoplasma gondii*-specific antibody *in vitro* by peripheral blood mononuclear cells as a new marker of acute toxoplasmosis, 126
VERBON, A., HARTSKEERL, R.A., MORENO, C., KOLK, A.H.J. Characterization of B cell epitopes on the 16K antigen of *Mycobacterium tuberculosis*, 395
VERGANI, D. *see* WEN, L.
VERHEIJEN, R., DE JONG, B.A.W., VAN VENROOIJ, W.J. A recombinant topoisomerase I ELISA: screening for IgG, IgM and IgA anti-topo I autoantibodies in human sera, 456
VINCENT, C. *see* HMAMA, Z.
VOLK, H.D. *see* REIPERT, B.

WAHREN, B. *see* OHLIN, M.
WAINBERG, M.A. *see* GRYLLIS, C.
WALKER, K.B. *see* DAS, S.
WALLACH, D. *see* KALINKOVICH, A.
WARNATZ, H. *see* RUSCHEN, S.
WATANABE, S. *see* OHI, H.
WAWRZYNCZAK, E.J. *see* DERBYSHIRE, E.J.
WEETMAN, A.P. *see* TANDON, N.
WEN, L., PEAKMAN, M., MIELI-VERGANI, G., VERGANI, D. Elevation of activated γδ T cell receptor bearing T lymphocytes in patients with autoimmune chronic liver disease, 78
WHELAN, A. *see* HASSAN, J.
WIDMANN, J.J. *see* PECHÈRE-BERTSCHI, A.
WIGZELL, H. *see* GRUNEWALD, J.
WIJDENES, J. *see* HMAMA, Z.
WILDE, H. *see* PANPANICH, T.
WILKINS, E. *see* ELSAGHIER, A.
WILLIAMS, R. *see* SHERON, N.
WILSON, P.B. *see* BANSAL, A.
WOLF, B. *see* HARRER, T.
WONG, J.T. *see* PANDOLFI, F.
WORTHINGTON, J. *see* HAJEER, A.H.
WÜRZNER, R., RANCE, N., POTTER, P.C., HENDRICKS, M.L., LACHMANN, P.J., ORREN, A. C7 M/N protein polymorphism typing applied to inherited deficiencies of human complement proteins C6 and C7, 485

YACHI, A. *see* SHIJUBO, N.
YASUGI, T. *see* OHI, H.
YOUINOU, P. *see* BARAKAT, S.

ZEROMSKI, J., BAGNASCO, M., PAOLIERI, F., DWORACKI, G. Expression of CD56 (NKH-1) differentiation antigen in human thyroid epithelium, 474
ZHANG, Y.W. *see* THOMPSON, S.J.
ZINGER, H. *see* SEGAL, R.
ZLOTNICK, A.Y. *see* LAHAT, N.

Subject Index

16K antigen, 395
17β-oestradiol, 446
65-kD heat shock protein, 427

Abscess, 390
Accessory molecule, 192
Activation, 83
Activation markers, 78
Acute toxoplasmosis, 126
ADDC, 310
Adhesion molecule, 52
Adoptive transfer, 68
African children, 296
Agalactosyl IgG, 434
Age, 74
AIDS, 285, 356
Allotransplantation, 143
ANCA, 274
Anergy, 33
Anti-Fab antibodies, 423
Anti-idiotype, 378
Antibodies, 330
Antibody production, 192
Antibody response, 495
Antibody secretion *in vivo*, 126
Antigen presentation, 52
Antigenic proteins, 63
APAAP reaction, 474
Atopy, 495
Autoantibodies, 305
Autoimmune disease, 179
Autoimmune diseases, 423
Autoimmune gastritis, 63
Autoimmune liver disease, 78
Autoimmune pacreatitis, 68
Autoimmunity, 46, 174, 330, 461
Autoimmunity/autoantibodies, 274
Autoreactivity, 165

B cell epitopes, 115, 395
B cell hybridomas, 230
B cells, 369
β_2-adrenergic membrane receptor, 461
BCG vaccination, 402
BCGF bioassay, 26
Bispecific antibody, 310
Blacks, 74
Bone marrow-derived macrophages, 502

C3 nephritic factor, 479
C3b receptor, 18
C6 C7 deficiency, 485
Calcium homeostasis, 89
Castration, 446
CD26, 192
CD35, 8
CD45RO, 78
CD5$^+$ B cells, 223
CD56, 474
CD57$^+$ cells, 143
Cell wall protein, 110
Cellular immunity, 407
Chemiluminescence, 362
Chemotaxis, 321, 362
Cholera toxin, 378
Chronic active hepatitis, 419
Chronic infection, 321
Chronic lymphocytic leukaemia, 374
Circulating ICAM-1 in sera, 58
Cirrhosis, 419
Cisplatin, 502
Collagen-induced arthritis, 244
Common variable immunodeficiency, 198, 204
Complement, 22, 485, 490
Cryoglobulinaemia, 419
Cyclophilin, 136
Cyclophosphamide, 185, 347
Cyclosporin, 136
Cyclosporin A, 347
Cystic fibrosis, 321
Cytokine, 148
Cytokine secretion, 32
Cytokines, 407
Cytoloytic T lymphocyte, 148

Dipeptidyl peptidase, 192
Dipeptidyl peptidase IV, 192

EAE, 165
EAU, 165
EL4 thymoma cells, 261
ELISA, 38, 402, 452, 456, 490
Encephalitis, 414
Enhanced chemiluminescence, 452
Eosinophils, 347
Epitope, 456
Epitope scanning, 115
Epstein–Barr virus-transformed B cell lines, 26
Ester-linked fatty acids, 104
Experimental SLE, 239

Fatty acid anilides, 131
FK506, 347
Flow cytometry, 143
Food antigens, 315

Gastrin, 74
$\gamma\delta$ T cell, 217
$\gamma\delta$ T cell receptor, 78
$\gamma\delta^+$ T cell reactivity, 301
Gene rearrangements, 198
Genomic polymorphism, 18
Glucocorticoids, 509
GM1-ganglioside, 378
gp120, 290
Granulocyte-macrophage colony stimulating factor, 502
Graves' disease, 468

H^+/K^+-ATPase α subunit, 63
Hepatitis B, 100
Hepatitis C, 419
High molecular weight B cell growth, 26
HIV, 89, 285, 356
HIV infection, 351, 362
HIV-1, 290
Homing, 52
Human MoAbs, 290
Human immunoglobulin secretion, 261
Human ovarian follicular fluid, 154
Human rabies, 414
Human thymocytes, 136
Human tissues, 94
Hypogammaglobulinaemia, 198

Ia antigen expression, 390
ICAM-1, 58

Idiopathic pulmonary fibrosis, 58
IFN-γ, 32
IgA autoantibodies, 456
IgA nephropathy, 315
IgG subclass, 495
IgG-coated erythrocytes, 1
IL-1, 32, 255
IL-1β, 104
IL-2, 148, 204, 414
IL-4, 223, 261
IL-6, 104, 148, 251, 255, 434
IL-8, 100, 509
Immune complex clearance, 8
Immune complexes, 1, 8, 315
Immune responses, 131
Immuno-privileged site, 165
Immunoblotting, 38
Immunoglobulin variable genes, 230
Immunohistology, 143
Immunosuppression, 94, 179
Immunotoxin, 336
Immunotoxins, 341
In vitro immunization, 290
In vitro immunoglobulin production, 204
Infection, 374
Infectious diseases, 423
Infectious mononucleosis, 83
Inflammation, 269
Insulin-dependent diabetes mellitus, 174
Integrins, 439
Interferon, 414
Interferon-alpha, 330
Interferon-gamma, 269
Intra-articular injection, 244
Intracellular free calcium, 158, 369
Intrinsic factor antibody, 74
Ivermectin, 407

Klebsiella pneumoniae, 104
Kupffer cells, 1

L-N-monomethyl arginine, 502
Leu-19 MoAb, 474
Leukotriene B4, 321
Linkage disequilibrium, 485
Lipopolysaccharide, 502
Low molecular weight B cell growth, 26
Lung, 347
Lupus mice, 68
Lymphocyte activation, 285
Lymphocyte proliferation, 110
Lymphocyte subpopulations, 407
Lymphocyte subsets, 211
Lymphocytes, 126, 341
Lymphokine-activated killer cells, 356

Macrophage colony stimulating factor, 502
Macrophage inflammatory proteins, 269
Macrophages, 120, 269
Malaria, 296
Male homosexuals, 351
Membrane cofactor protein (CD46), 490
Membranoproliferative glomerulonephritis, 479
Meningococcal infection, 485
Methyl-alanyl cyclosporin, 136
Midgut carcinoids, 330
Mitogenic responses, 158, 369
MoAbs, 341
Monensin, 336
Monoacetyl cyclosporin, 136
Monoclonal antibodies, 115
Monoclonal antibody, 490
Monocytes, 8, 509
Monocytes/macrophages, 211
Mononuclear cells, 362
Mononuclear leucocytes, 310
Mononuclear phagocyte system, 1
Muramyl dipeptide, 384
Mycobacteria, 120, 269, 305
Mycobacterial hsp65, 115
Mycobacterial infection, 185
Mycobacterium leprae, 110
Mycobacterium lepraemurium, 185
Mycobacterium tuberculosis, 395

Natural killer cells, 356, 414
Neonatal thymectomy, 63
Neopterin, 211
Neural cell adhesion molecule, 336
Neutrophils, 120, 269
NF-AT, 136
Nitrite, 384
NOD mice, 174
Non-hypocomplementaemia, 479
NZBW F1 mice, 179

Onchocerciasis, 407
Ovulation, 154

p15E, 94
Parietal cell antibody, 74
Peptide boronic acid, 192
Peritonitis, 390
Pernicious anaemia, 74
Phagocytosis, 310, 390
Phorbol ester, 158, 369
Pokeweed mitogen, 204
Polyclonal B cell activation, 26
Polymorphism, 22, 485
Polymorphonuclear leucocyte, 321
Polymorphonuclear neutrophils, 362
Polysaccharides, 384
Pregnancy, 126, 434
Primary hypogammaglobulinaemia, 211
Pristane-induced arthritis, 434
Protease inhibitor, 192
Protective immunity, 110
Protein kinase C, 158

Rapamycin, 174
Rats, 244
Reactive nitrogen intermediates, 502
Receptor mimickry, 378
Receptors, 22
Retrovirus, 46
Rheumatic autoimmune diseases, 38
Rheumatoid arthritis, 32, 46, 217, 223, 230, 439
Ribosome-inactivating proteins, 341
Ricin A chain, 336

SCID mice, 239
Second messengers, 89
Seminal fluid, 490
Seminal plasma, 154
Septic shock, 100
Serine protease, 192
Serology, 395, 402, 419
Serum factors, 94
Signal transduction, 509
Sjögren's syndrome, 46, 452
Small cell lung cancer, 336
Soluble CD23, 452
Soluble tumour necrosis factor receptors, 351
Specific antibodies, 374
Splenocytes, 131
Splenomegaly, 211
SSA/Ro antigen, 38
Staphylococcus aureus Cowan I, 204

Steptococci, 301
Stress proteins, 305
Suppressor cell precursors, 185
Surface IgD^- B cells, 261
Synovial fluid, 427
Synovium, 230
Synthetic peptides, 38, 461
Systemic lupus erythematosus, 22, 251, 452
Systemic sclerosis, 456

T cell expansion, 279
T cell proliferation, 468
T cell receptor, 83, 198, 279
T cell receptor rearrangement, 143
T cell receptors, 217
T cells, 120
T lymphocyte, 83
T lymphocytes, 198, 439
$TCR^-\gamma\delta^+$ lymphocytes, 427
Testosterone, 446
Thyroid epithelium, 474
Topoisomerase I, 456
Toumouricidal activity, 384
Toxoplasma gondii, 126
Transforming growth factor-beta 1, 244
Transforming growth factor-β, 261
TSH receptor, 468
Tumour necrosis factor, 32, 100, 104, 244, 351, 384
Type I diabetes mellitus, 18
Type II collagen-induced arthritis, 446

U-937, 356
Ulcerative colitis, 305
UV light, 251

V3 region, 290
Vasculitis, 274

Western blot, 402

Zinc, 285